

Notice of Allowability

Application No.

09/868,509

Examiner

Beniyam Menberu

Applicant(s)

TAKARADA, SHINICHI

Art Unit

2626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to August 30, 2001.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 30 August 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 7/29/03, 8/30/01, 6/18/01
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER


KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Ovedovitz on June 27, 2005.

The application has been amended as follows:

On page 4, line 23 of the specification, "liner" should be replaced by "linear".

On page 16, line 17 of the specification, "CCD 202" should be replaced by "CCD 102".

On page 23, line 4 of the specification, "CCD 101" should be replaced by "CCD 102".

On page 23, line 5 of the specification, "CCD 101" should be replaced by "CCD 102".

On page 29, line 2 of the specification, "CCD 101" should be replaced by "CCD 102".

On page 29, line 5 of the specification, "CCD 101" should be replaced by "CCD 102".

On page 29, line 6 of the specification, "CCD 101" should be replaced by "CCD 102".

On amended claim 7, line 2, "tot he" should be replaced by "to the".

On amended claim 8, line 3, "liner" should be replaced by "linear".

On claim 14, line 2, "tot he" should be replaced by "to the".

On claim 20, line 2, "tot he" should be replaced by "to the".

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

In addition to the teachings of the claim 1 as a whole, the closest prior art of record failed to teach or suggest resolution conversion circuit which interpolates pixel value using the luminance and color-difference data and filter transmitted data which is then used to generate luminance and color-difference data for a new pixel.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Other Prior Art Cited

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 5614947 to Tanizoe et al disclose solid state imaging apparatus.

U.S. Patent No. 5374956 to D'Luna disclose color filter array.

U.S. Patent No. 6128036 to Sakurai et al disclose digital camera.

U.S. Patent No. 6133953 to Okada disclose color camera.

U.S. Patent No. 6822680 to Kanda disclose one-chip color camera.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Beniyam Menberu whose telephone number is (571) 272-7465. The examiner can normally be reached on 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached on (571) 272-7471. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the customer service office whose telephone number is (571) 272-2600. The group receptionist number for TC 2600 is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Art Unit: 2626

For more information about the PAIR system, see [<http://pair-direct.uspto.gov/>](http://pair-direct.uspto.gov/).


Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner

Beniyam Menberu

BM

07/07/2005


KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER